STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPL A. BUILDING:	E CONSTRUCTION 01	(X3) DATE COMF	SURVEY PLETED
		FCL041031	B. WING		06/2	25/2015
NAME OF F				STATE, ZIP CODE		
		809 WFS	Γ MINNEOLA	,		
PULLIAN	I FAMILY CARE HOM	GIBSONV	ILLE, NC 27	7249		
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APP DEFICIENCY)	OULD BE	(X5) COMPLETE DATE
C 000	C 000 Initial Comments		C 000			
	This report is of a biennial construction survey done by Bob Getchell on June 25, 2015.					
	This facility was first licensed as a FCH facility for six (6) ambulatory Residents (able to evacuate and respond without any physical or verbal assistance during a fire or other emergency) on February 24, 1993. Based on this we are requiring the home to be in compliance with the 1992 and the applicable portions of the 2005 Rules 10A NCAC 13G for the Licensing of family care homes, and, the 1991 (W/1993 Revision) North Carolina State Building Code Volume 1; Section 514.1-Exception 1- Residential Care Facilities.					
	Deficiencies were noted which will require a new plan of correction.					
C 117	Have Current San.	And Fire Safety Approvals	C 117			
	fire and building sa					
	This Rule is not me 1. Based on obser not available at the	vation, current reports were				
	Findings include: The following reports were not available at the time of the survey: a) Sanitation report					

Division of Health Service Regulation
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

(X6) DATE TITLE

Division of Health Service Regulation								
STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING: 01		(X3) DATE SURVEY COMPLETED				
		FCL041031	B. WING		06/2	5/2015		
NAME OF F	PROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, S	STATE, ZIP CODE				
I PIII I IAM FAMII Y CARE HOME			T MINNEOLA TILLE, NC 27					
(X4) ID PREFIX TAG	(EACH DEFICIENC)	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPRO DEFICIENCY)	D BE	(X5) COMPLETE DATE		
C 136	Continued From pa	ge 1	C 136					
C 136	Bathroom-Nonskid	In Tub/Showers	C 136					
	This Rule is not me 1. Based obn obse not maintained safe Findings include:	ing or strips must be installed the areas. et as evidenced by: ervation, the shower floor was e. as no mat or skid strips						
C 149	Outside Entrances/	Exits-Handrails At Porches	C 149					
	AND EXITS (f) All steps, porch	THE BUILDING 312 OUTSIDE ENTRANCE ses, stoops and ramps shall be rails and guardrails.						
	This Rule is not me 1. Based on obser- were not maintaine	vation, the porch guardrails						
	Findings include: The front left handr	ail has come loose.						
C 152	Floors		C 152					

10A NCAC 13G .0314 FLOORS

to be easily cleanable.

(a) All floors in a family care home shall be of smooth, non-skid material and so constructed as

(b) Scatter or throw rugs shall not be used.(c) All floors shall be kept in good repair.

STATE FORM 933S21 If continuation sheet 2 of 6

DIVISION	of Health Service Re	eguiation				
STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED		
AND I LAN OF CONNECTION IDENTIFICATION NOWIDEN.		A. BUILDING: 01		COMIT LETED		
FCL041031		B. WING		06/25/2015		
NAME OF I	PROVIDER OR SUPPLIER	STREET ADD	DRESS, CITY, S	STATE, ZIP CODE		
DIIIIIAA	I FAMILY CARE HOM	E 809 WEST	MINNEOLA	ROAD		
PULLIAN	I FAMILY CARE HOW	GIBSONV	ILLE, NC 27	249		
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPROI DEFICIENCY)	D BE	(X5) COMPLETE DATE
C 152	Continued From pa	ge 2	C 152			
0.450	were not maintainer residents to trip haze Findings include: a) There are runs ib) The front left be that prevents the doc) The back porch has come loose.	vation, the floor coverings d safe. This could expose all cards. In the hall carpet, droom has a bent carpet strip for from being closed, is covered with carpet that				
C 153	SECTION .0300 - T	Furnishings-Clean, Repaired THE BUILDING 115 HOUSEKEEPING AND	C 153			
	coverings kept clea (2) have no chroni (3) have furniture	re home shall: lings, and floors or floor n and in good repair; c unpleasant odors; clean and in good repair; apply to new and existing				
		et as evidenced by: vation, the bedroom vt maintained in good repair.				
	drawers, and ii) a w b) The left back be drawers, and ii) a b	droom has: i) a worn chest of				
C 168	Fire Extinguishers		C 168			

6899

				0.425	01151/51:	
STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED		
AND PLAN OF CORRECTION IDEN		IDENTIFICATION NOWIDER.	A. BUILDING: 01		COIVIP	LLILD
		FCL041031	B. WING		06/2	5/2015
NAME OF F	PROVIDER OR SUPPLIER	STREET AD	DRESS, CITY S	STATE, ZIP CODE		
			MINNEOLA			
PULLIAN	I FAMILY CARE HOM	F	ILLE, NC 27			
040.15	CLIMMA DV CTA	TEMENT OF DEFICIENCIES	·		DNI .	0/5)
(X4) ID PREFIX		/ MUST BE PRECEDED BY FULL	ID PREFIX	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOUL		(X5) COMPLETE
TAG	REGULATORY OR L	SC IDENTIFYING INFORMATION)	TAG	CROSS-REFERENCED TO THE APPROI DEFICIENCY)	PRIATE	DATE
				DEFICIENCY)		
C 168	Continued From pa	ge 3	C 168			
	SECTION .0300 - T	THE RUIL DING				
		316 FIRE SAFETY AND				
	DISASTER PLAN	710 11112 6711 21171112				
ı		ers shall be provided which				
	meet these minimu	m requirements in a family				
	care home:					
		or larger (net charge) "A-B-C"				
	type centrally locate	ed; l or larger "A-B-C" or CO/2				
	type located in the l					
	(3) any other location as determined by the code					
	enforcement official.					
	This Rule is not met as evidenced by:					
	Based on observation, the building fire					
	protection equipment was not maintained in a					
	safe manner. This would affect all residents by					
	not having fire protection equipment operable for use in an emergency.					
	acc in an emergent					
	Findings include:					
		on the fire extinguishers				
		ed monthly checks are not				
	being performed pe	er NFPA 10				
-						
C 174	Building Equipment	Maintained Safe, Operating	C 174			
	SECTION .0300 - T	THE BUILDING				
	10A NCAC 13G .0317 BUILDING SERVICE EQUIPMENT (a) The building and all fire safety, electrical, mechanical, and plumbing equipment in a family					
	care home shall be	maintained in a safe and				
	operating condition.					
		apply to new and existing				
	family care homes.					
	This Rule is not ma	et as evidenced by:				
	This Rule is not met as evidenced by: 1. Based on observation, the baseboard heaters					

	of Fleatiff Service IN		ı		T	
STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED		
AND I EAN OF CONNECTION IDENTIFICATION NOMBER.			A. BUILDING: 01			
		FCL041031	B. WING		06/2	5/2015
NAME OF I	PROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, S	STATE, ZIP CODE		
DIIIIIAN	I FAMILY CARE HOM	F	Γ MINNEOLA			
FULLIAN	ITAMILI CARL HOM	GIBSONV	ILLE, NC 27	7249		
(X4) ID PREFIX TAG	(EACH DEFICIENCY	TEMENT OF DEFICIENCIES MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTI (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPRO DEFICIENCY)	_D BE	(X5) COMPLETE DATE
C 174	Continued From pa	ge 4	C 174			
	were not maintaine	d safe.				
	following locations: a) Left front bedrood down, b) Left back bedrood down, c) Front middle bedrood down, c) Front middle bedrood down, c) Front middle bedroom on the chellow and the second of the s	om has a guard that has fallen om has a guard that has fallen droom baseboard heater in s, which are heat damaged. vation, the facility oxygen ored in a safe manner. en bottles in the hall closet that en bottle in the front left est of drawers vation, the electrical system I safe. aker panel box has an open aker has been removed. onnect box has a 1/2 inch hole enclosure. vation, the exterior building not maintained. on window frames on fascia boards, on soffits. vation, the building				
	a) Paint is peelingb) Paint is peelingc) Paint is peeling5. Based on obsert	on fascia boards, on soffits.				

6899

STATEMENT OF DEFICIENCIES (X AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPL A. BUILDING:	E CONSTRUCTION 01	(X3) DATE SURVEY COMPLETED	
FCL041031		B. WING		06/25/2015		
NAME OF F	PROVIDER OR SUPPLIER	STREET ADI	DRESS, CITY, S	STATE, ZIP CODE		
PULLIAN	I FAMILY CARE HOM	E	MINNEOLA ILLE, NC 27			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	TEMENT OF DEFICIENCIES / MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTI (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPRO DEFICIENCY)	_D BE	(X5) COMPLETE DATE
C 174	Continued From pa	ge 5	C 174			
	Findings include: The back left bedro	oom has a closet door off track.				
C 180	Building Service Ed	uipment-Call System	C 180			
	EQUIPMENT (f) Where the bed located in a separa bedrooms, an elect shall be provided or bedroom to the live resident call system can be activated wi on until deactivated activator shall be whis bed. (j) This Rule shall family care homes.	room of the live-in staff is te area from residents' rically operated call system onnecting each resident in staff bedroom. The nactivator shall be such that it th a single action and remain by staff. The call system ithin reach of resident lying on apply to new and existing et as evidenced by: vation, the call system was not e.				

6899